Contents:

Volume 116, Number 1, January 1992

1 **Localization of the nucleolar protein NO38 in amphibian oocytes.**
B. A. Peculis and J. G. Gall

15 **Nuclear protein import is inhibited by an antibody to a lumenal epitope of a nuclear pore complex glycoprotein.**
U. F. Greber and L. Gerace

31 ***Trans*-repressor activity of nuclear glycosaminoglycans on fos and jun/ap-1 oncoprotein-mediated transcription.**
S. J. Busch, G. A. Martin, R. L. Barnhart, M. Mano, A. D. Cardin, and R. L. Jackson

43 **Casein kinase II is a predominantly nuclear enzyme.**
W. Krek, G. Maridor, and E. A. Nigg

57 **Carboxy-terminally truncated forms of ribophorin I are degraded in pre-Golgi compartments by a calcium-dependent process.**
Y. S. Tsao, N. E. Ivessa, M. Adesnik, D. D. Sabatini, and G. Kreibich

69 **Assembly and disassembly of the Golgi complex: two processes arranged in a *cis-trans* direction.**
J. Alcalde, P. Bonay, A. Roa, S. Vilaro, and I. V. Sandoval

85 **Perturbation of the morphology of the *trans*-Golgi network following brefeldin A treatment: redistribution of a TGN-specific integral membrane protein, TGN38.**
B. Reaves and G. Banting

95 **Immunocytochemical characterization of the endocytic and phagolysosomal compartments in peritoneal macrophages.**
S. Rabinowitz, H. Horstmann, S. Gordon, and G. Griffiths

113 **s-Cyclophilin is retained intracellularly via a unique COOH-terminal sequence and colocalizes with the calcium storage protein calreticulin.**
S. Arber, K.-H. Krause, and P. Caroni

127 **cAMP and Ca^{2+}-mediated secretion in parotid acinar cells is associated with reversible changes in the organization of the cytoskeleton.**
D. Perrin, K. Möller, K. Hanke, H.-D. Söling

135 **Mitosis and inhibition of intracellular transport stimulate palmitoylation of a 62-kD protein.**
D. I. Mundy and G. Warren

147 **Reducing inositol lipid hydrolysis, $Ins(1,4,5)P_3$ receptor availability, or Ca^{2+} gradients lengthens the duration of the cell cycle in *Xenopus laevis* blastomeres.**
J.-K. Han, K. Fukami, and R. Nuccitelli

157 **A synthetic peptide representing the consensus sequence motif at the carboxy-terminal end of the rod domain inhibits intermediate filament assembly and disassembles preformed filaments.**
M. Hatzfeld and K. Weber

167 **In vitro analysis of the origin and maintenance of O-2A^{adult} progenitor cells.**
D. Wren, G. Wolswijk, and M. Noble

177 **Stromelysin generates a fibronectin fragment that inhibits Schwann cell proliferation.**
D. Muir and M. Manthorpe

187 **TGF-β_1 is an autocrine-negative growth regulator of human colon carcinoma FET cells *in vivo* as revealed by transfection of an anti-sense expression vector.**
S. Wu, D. Theodorescu, R. S. Kerbel, J. K. V. Wilson, K. M. Mulder, L. E. Humphrey, and M. G. Brattain

197 **The invasin protein of *Yersinia enterocolitica*: internalization of invasin-bearing bacteria by eukaryotic cells is associated with reorganization of the cytoskeleton.**
V. B. Young, S. Falkow, and G. K. Schoolnik

209 **Biological activities of peptides and peptide analogues derived from common sequences present in thrombospondin, properdin, and malarial proteins.**
G. P. Tuszynski, V. L. Rothman, A. H. Deutch, B. K. Hamilton, and J. Eyal

219 **Divalent cation regulation of the function of the leukocyte integrin LFA-1.**
I. Dransfield, C. Cabañas, A. Craig, and N. Hogg

227 **Differential utilization of regulatory domains within the α1(I) collagen promoter in osseous and fibroblastic cells.**
D. Pavlin, A. C. Lichtler, A. Bedalov, B. E. Kream, J. R. Harrison, H. F. Thomas, G. A. Gronowicz, S. H. Clark, C. O. Woody, and D. W. Rowe

245 **Isolation of hnRNP complexes from *Drosophila melanogaster.***
M. J. Matunis, E. L. Matunis, and G. Dreyfuss

257 **Characterization of the major hnRNP proteins from *Drosophila melanogaster.***
E. L. Matunis, M. J. Matunis, and G. Dreyfuss

271 **O-linked glycoproteins of the nuclear pore complex interact with a cytosolic factor required for nuclear protein import.**
R. Sterne-Marr, J. M. Blevitt, and L. Gerace

281 **GTP hydrolysis is required for vesicle fusion during nuclear envelope assembly in vitro.**
A. L. Boman, M. R. Delannoy, and K. L. Wilson

295 **Characterization of the membrane binding and fusion events during nuclear envelope assembly using purified components.**
J. Newport and W. Dunphy

307 **Translocation of oxysterol binding protein to golgi apparatus triggered by ligand binding.**
N. D. Ridgway, P. A. Dawson, Y. K. Ho, M. S. Brown, and J. L. Goldstein

321 **Association of the tyrosine phosphorylated epidermal growth factor receptor with a 55-kD tyrosine phosphorylated protein at the cell surface and in endosomes.**
I. Wada, W. H. Lai, B. I. Posner, and J. J. M. Bergeron

331 **Cell-free fusion of endocytic vesicles is regulated by phosphorylation.**
P. G. Woodman, D. I. Mundy, P. Cohen, and G. Warren

339 **Membrane fusion process of Semliki Forest Virus I: low pH–induced rearrangement in spike protein quaternary structure precedes virus penetration into cells.**
J. M. Wahlberg and H. Garoff

349 **Membrane fusion process of Semliki Forest Virus II: cleavage dependent reorganization of the spike protein complex controls virus entry.**
A. Salminen, J. M. Wahlberg, M. Lobigs, P. Liljeström, and H. Garoff

359 **Bovine chromaffin granule membranes undergo Ca^{2+}-regulated exocytosis in frog oocytes.**
D. Scheuner, C. D. Logsdon, and R. W. Holz

367 **Myosin-I moves actin filaments on a phospholipid substrate: implications for membrane targeting.**
H. G. Zot, S. K. Doberstein, and T. D. Pollard

377 **Genetic analysis of a *Drosophila* microtubule-associated protein.**
A. Pereira, J. Doshen, E. Tanaka, and L. S. B. Goldstein

385 **Expression of fusion proteins of the nicotinic acetylcholine receptor from mammalian muscle identifies the membrane-spanning regions in the α and δ subunits.**
R. A. Chavez and Z. W. Hall

395 **Myelin sheath survival after guanethidine-induced axonal degeneration.**
G. J. Kidd, J. W. Heath, B. D. Trapp, and P. R. Dunkley

405 **A strategy for isolation of cDNAs encoding proteins affecting human intestinal epithelial cell growth and differentiation: characterization of a novel gut-specific *N*-myristoylated annexin.**
B. M. Wice and J. I. Gordon

423 **The HB-6, CDw75, and CD76 differentiation antigens are unique cell-surface carbohydrate determinants generated by the β-galactoside α2,6-sialyltransferase.**
B. J. E. G. Bast, L.-J. Zhou, G. J. Freeman, K. J. Colley, T. J. Ernst, J. M. Munro, and T. F. Tedder

437 **Phorbol ester induced osteoclast-like differentiation of a novel human leukemic cell line (FLG 29.1).**
V. Gattei, P. A. Bernabei, A. Pinto, R. Bezzini, A. Ringressi, L. Formigli, A. Tanini, V. Attadia, and M. L. Brandi

449 **Clusters of neural cell adhesion molecule at sites of cell-cell contact.**
R. J. Bloch

465 **Inhibition of cell adhesion by high molecular weight kininogen.**
S. Asakura, R. W. Hurley, K. Skorstengaard, I. Ohkubo, and D. F. Mosher

477 **Motility of fibronectin receptor-deficient cells on fibronectin and vitronectin: collaborative interactions among integrins.**
J. S. Bauer, C. L. Schreiner, F. Giancotti, E. Ruoslahti, and R. L. Juliano

489 **Activation-dependent recognition by hematopoietic cells of the LDV sequence in the V region of fibronectin.**
E. A. Wayner and N. L. Kovach

499 **A monoclonal antibody to β_1 integrin (CD29) stimulates VLA-dependent adherence of leukocytes to human umbilical vein endothelial cells and matrix components.**
N. L. Kovach, T. M. Carlos, E. Yee, and J. M. Harlan

511 **Leishmania promastigotes require opsonic complement to bind to the human leukocyte integrin Mac-1 (CD11b/CD18).**
D. M. Mosser, T. A. Springer, and M. S. Diamond

521 **A cell surface chondroitin sulfate proteoglycan, immunologically related to CD44, is involved in type I collagen-mediated melanoma cell motility and invasion.**
A. E. Faassen, J. A. Schrager, D. J. Klein, T. R. Oegema, J. R. Couchman, and J. B. McCarthy

533 **Compartmentalization of PDGF on extracellular binding sites dependent on exon-6-encoded sequences.**
E. W. Raines and R. Ross

545 **A novel secretory tumor necrosis factor-inducible protein (TSG-6) is a member of the family of hyaluronate binding proteins, closely related to the adhesion receptor CD44.**
T. H. Lee, H.-G. Wisniewski, and J. Vilček

559 **Human basement membrane heparan sulfate proteoglycan core protein: a 467-kD protein containing multiple domains resembling elements of the low density lipoprotein receptor, laminin, neural cell adhesion molecules, and epidermal growth factor.**
P. Kallunki and K. Tryggvason

Volume 116, Number 3, February 1992

Mini-review

577 **Plasma membrane protein sorting in polarized epithelial cells.**
K. Mostov, G. Apodaca, B. Aroeti, and C. Okamoto

Regular Articles

585 **Centromere protein B assembles human centromeric alpha-satellite DNA at the 17-bp sequence, CENP-B box.**
Y. Muro, H. Masumoto, K. Yoda, N. Nozaki, M. Ohashi, and T. Okazaki

597 **Mutants in three novel complementation groups inhibit membrane protein insertion into and soluble protein translocation across the endoplasmic reticulum membrane of *Saccharomyces cerevisiae*.**
N. Green, H. Fang, and P. Walter

605 **A mutation in the signal recognition particle 7S RNA of the yeast *Yarrowia lipolytica* preferentially affects synthesis of the alkaline extracellular protease: in vivo evidence for translational arrest.**
D. S. Yaver, S. Matoba, and D. M. Ogrydziak

617 **P-selectin, a granule membrane protein of platelets and endothelial cells, follows the regulated secretory pathway in AtT-20 cells.**
J. A. Koedam, E. M. Cramer, E. Briend, B. Furie, B. C. Furie, and D. D. Wagner

627 **Activation of insulin-epidermal growth factor (EGF) receptor chimerae regulates EGF receptor binding affinity.**
S. Tartare, R. Ballotti, R. Lammers, C. Filloux, A. Chauvel, J. Schlessinger, A. Ullrich, and E. Van Obberghen

635 **Binding of monoclonal antibody AA4 to gangliosides on rat basophilic leukemia cells produces changes similar to those seen with Fcε receptor activation.**
C. Oliver, N. Sahara, S. Kitani, A. R. Robbins, L. M. Mertz, and R. P. Siraganian

647 **Identification of the sea urchin egg receptor for sperm using an antiserum raised against a fragment of its extracellular domain.**
K. R. Foltz and W. J. Lennarz

659 **Localization of peripherin/*rds* in the disk membranes of cone and rod photoreceptors: relationship to disk membrane morphogenesis and retinal degeneration.**
K. Arikawa, L. L. Molday, R. S. Molday, and D. S. Williams

669 **Analysis of *Drosophila* paramyosin: identification of a novel isoform which is restricted to a subset of adult muscles.**
K. D. Becker, P. T. O'Donnell, J. M. Heitz, M. Vito, and S. I. Bernstein

683 **Differential localizations of and requirements for the two drosophila *ninaC* kinase/myosins in photoreceptor cells.**
J. A. Porter, J. L. Hicks, D. S. Williams, and C. Montell

695 **Phorbol ester-induced actin assembly in neutrophils: role of protein kinase C.**
G. P. Downey, C. K. Chan, P. Lea, A. Takai, and S. Grinstein

707 **The requirements for protein synthesis and degradation, and the control of destruction of cyclins A and B in the meiotic and mitotic cell cycles of the clam embryo.**
T. Hunt, F. C. Luca, and J. V. Ruderman

725 **Phosphorylation of conserved serine residues does not regulate the ability of *mos*^{xe} protein kinase to induce oocyte maturation or function as cytostatic factor.**
R. S. Freeman, A. N. Meyer, J. Li, and D. J. Donoghue

737 **Inositol phospholipid metabolism may trigger flagellar excision in *Chlamydomonas reinhardtii*.**
L. M. Quarmby, Y. G. Yueh, J. L. Cheshire, L. R. Keller, W. J. Snell, and R. C. Crain

745 **Thin-section ratiometric Ca^{2+} images obtained by optical sectioning of fura-2 loaded mast cells.**
J. R. Monck, A. F. Oberhauser, T. J. Keating, and J. M. Fernandez

761 **Synaptic vesicle membrane proteins interact to form a multimeric complex.**
M. K. Bennett, N. Calakos, T. Kreiner, and R. H. Scheller

777 **Schwannoma-derived growth factor (SDGF) promotes the neuronal differentiation and survival of PC12 cells.**
H. Kimura and D. Schubert

785 **Isoform-specific subcellular targeting of glucose transporters in mouse fibroblasts.**
A. W. Hudson, M.-L. Ruiz, and M. J. Birnbaum

799 **Site-specific mutations in the COOH terminus of placental alkaline phosphatase: a single amino acid change converts a phosphatidylinositol-glycan–anchored protein to a secreted protein.**
M. E. Lowe

809 **Adhesion of a chicken myeloblast cell line to fibrinogen and vitronectin through a β_1-class integrin.**
K. M. Neugebauer, K. A. Venstrom, and L. F. Reichardt

817 **Lymphocyte CD44 binds the COOH-terminal heparin-binding domain of fibronectin.**
S. Jalkanen and M. Jalkanen

827 **Thrombin-induced events in non-platelet cells are mediated by the unique proteolytic mechanism established for the cloned platelet thrombin receptor.**
D. T. Hung, T.-K. H. Vu, N. A. Nelken, and S. R. Coughlin

833 CORRECTIONS AND ADDITIONS

Volume 116, Number 4, February 1992

839 **Structure of the small nuclear RNP particle U1: identification of the two structural protuberances with RNP-antigens A and 70K.**
B. Kastner, U. Kornstädt, M. Bach, and R. Lührmann

851 **Microinjected U snRNAs are imported to oocyte nuclei via the nuclear pore complex by three distinguishable targeting pathways.**
N. Michaud and D. Goldfarb

863 **Deletion of the regulatory domain of protein kinase C α exposes regions in the hinge and catalytic domains that mediate nuclear targeting.**
G. James and E. Olson

875 **Fc receptor endocytosis is controlled by a cytoplasmic domain determinant that actively prevents coated pit localization.**
H. M. Miettinen, K. Matter, W. Hunziker, J. K. Rose, and I. Mellman

889 **Remodeling the cell surface distribution of membrane proteins during the development of epithelial cell polarity.**
D. A. Wollner, K. A. Krzeminski, and W. J. Nelson

901 **A malaria invasion receptor, the 175-kilodalton erythrocyte binding antigen of *Plasmodium falciparum* recognizes the terminal Neu5Ac (α2-3) Gal− sequences of glycophorin A.**
P. A. Orlandi, F. W. Klotz, and J. D. Haynes

911 **Perturbations of *Drosophila* α-actinin cause muscle paralysis, weakness, and atrophy but do not confer obvious nonmuscle phenotypes.**
E. M. Roulier, C. Fyrberg, E. Fyrberg

923 **Identification and characterization of an actin-binding site of CapZ.**
C. Hug, T. M. Miller, M. A. Torres, J. F. Casella, and J. A. Cooper

933 **Direct proof that the primary site of action of cytochalasin on cell motility processes is actin.**
H. Ohmori, S. Toyama, and S. Toyama

943 **Targeted disruption of the ABP-120 gene leads to cells with altered motility.**
D. Cox, J. Condeelis, D. Wessels, D. Soll, H. Kern, and D. A. Knecht

957 **Evidence that the stalk of *Drosophila* kinesin heavy chain is an α-helical coiled coil.**
M. de Cuevas, T. Tao, and L. S. B. Goldstein

967 **Cyclins A and B associate with chromatin and the polar regions of spindles, respectively, and do not undergo complete degradation at anaphase in syncytial Drosophila embryos.**
G. Maldonado-Codina and D. M. Glover

977 **A normally masked nuclear matrix antigen that appears at mitosis on cytoskeleton filaments adjoining chromosomes, centrioles, and midbodies.**
J. A. Nickerson, G. Krockmalnic, K. M. Wan, C. D. Turner, and S. Penman

989 **Molecular organization of the uvomorulin–catenin complex.**
M. Ozawa and R. Kemler

997 **Micromanipulation of adhesion of a Jurkat cell to a planar bilayer membrane containing LFA-3 molecules.**
A. Tözeren, K-L. P. Sung, L. A. Sung, M. L. Dustin, P-Y. Chan, T. A. Springer, and S. Chien

1007 **Generation of signals activating neutrophil functions by leukocyte integrins: LFA-1 and gp150/95, but not CR3, are able to stimulate the respiratory burst of human neutrophils.**
G. Berton, C. Laudanna, C. Sorio, and F. Rossi

1019 **pp60^{src} tyrosone kinase modulates P19 embryonal carcinoma cell fate by inhibiting neuronal but not epithelial differentiation.**
J. W. Schmidt, J. S. Brugge, and W. J. Nelson

1035 **Induction of proliferation or hypertrophy of chondrocytes in serum-free culture: the role of insulin-like growth factor-I, insulin, or thyroxine.**
K. Böhme, M. Conscience-Egli, T. Tschan, K. H. Winterhalter, and P. Bruckner

1043 **Hepatocytes in collagen sandwich: evidence for transcriptional and translational regulation.**
J. C. Y. Dunn, R. G. Tompkins, and M. L. Yarmush

1055 **The hyaluronan receptor (CD44) participates in the uptake and degradation of hyaluronan.**
M. Culty, H. A. Nguyen, and C. B. Underhill

1063 **Interactions of the neural cell adhesion molecule and the myelin-associated glycoprotein with collagen type I: involvement in fibrillogenesis.**
R. Probstmeier, T. Fahrig, E. Spiess, and M. Schachner

Volume 116, Number 5, March 1992

Mini-Review

1071 **Brefeldin A: insights into the control of membrane traffic and organelle structure.**
R. D. Klausner, J. G. Donaldson, and J. Lippincott-Schwartz

Regular Articles

1081 **Identification of a subdomain of CENP-B that is necessary and sufficient for localization to the human centromere.**
A. F. Pluta, N. Saitoh, I. Goldberg, and W. C. Earnshaw

1095 **Dynamic organization of DNA replication in mammalian cell nuclei: spatially and temporally defined replication of chromosome-specific α-satellite DNA sequences.**
R. T. O'Keefe, S. C. Henderson, and D. L. Spector

1111 **Cortical localization of a calcium release channel in sea urchin eggs.**
S. M. McPherson, P. S. McPherson, L. Mathews, K. P. Campbell, and F. J. Longo

1123 **Mechanisms responsible for F-actin stabilization after lysis of polymorphonuclear leukocytes.**
M. L. Cano, L. Cassimeris, M. Fechheimer, and S. H. Zigmond

1135 **Are the conserved sequences in Segment 1 of gelsolin important for binding actin?**
M. Way, B. Pope, and A. G. Weeds

1145 **In vivo analysis of functional domains from villin and gelsolin.**
J. Finidori, E. Friederich, D. J. Kwiatkowski, and D. Louvard

1157 **Mechanism of centrosome positioning during the wound response in BSC-1 cells.**
U. Euteneuer and M. Schliwa

1167 **Meiotic spindle assembly in *Drosophila* females: behavior of nonexchange chromosomes and the effects of mutations in the *nod* kinesin-like protein.**
W. E. Theurkauf, and R. S. Hawley

1181 **Do the ends justify the mean? Proline mutations at the ends of the keratin coiled-coil rod segment are more disruptive than internal mutations.**
A. Letai, P. A. Coulombe, and E. Fuchs

1197 **The desmoplakin carboxyl terminus coaligns with and specifically disrupts intermediate filament networks when expressed in cultured cells.**
T. S. Stappenbeck, and K. J. Green

1211 **Antigen-receptor complex stimulation triggers protein kinase C-dependent CD11a/CD18-cytoskeleton association in T lymphocytes.**
R. Pardi, L. Inverardi, C. Rugarli, and J. R. Bender

1221 **Mutants in the *S. cerevisiae PKC1* gene display a cell cycle-specific osmotic stability defect.**
D. E. Levin, and E. Bartlett-Heubusch

1231 **The plus ends of stable microtubules are the exclusive nucleating structures for microtubules in the axon.**
P. W. Baas, and F. J. Ahmad

1243 **MyoD, myogenin independent differentiation of primordial myoblasts in mouse somites.**
M. G. Cusella-De Angelis, G. Lyons, C. Sonnino, L. De Angelis, E. Vivarelli, K. Farmer, W. E. Wright, M. Molinaro, M. Bouchè, M. Buckingham, and G. Cossu

1257 **Progressive stages of "transdifferentiation" from epidermal to mesenchymal phenotype induced by MyoD1 transfection, 5-aza-2′-deoxycytidine treatment, and selection for reduced cell attachment in the human keratinocyte line HaCaT.**
P. Boukamp, J. Chen, F. Gonzales P. A. Jones, and N. E. Fusenig

1273 **Cell surface receptors for herpes simplex virus are heparan sulfate proteoglycans.**
M.-T. Shieh, D. WuDunn, R. I. Montgomery, J. D. Esko, and P. G. Spear

1283 **On the ultrastructure of hyalin, a cell adhesion protein of the sea urchin embryo extracellular matrix.**
D. L. Adelson, M. C. Alliegro, and D. R. McClay

1291 **Incorporation of protein into spore coats is not cell autonomous in dictyostelium.**
C. M. West and G. W. Erdos

1301 **Placement Service Notices**

Volume 116, Number 6, March 1992

1303 **NuMA: an unusually long coiled-coil related protein in the mammalian nucleus.**
C. H. Yang, E. J. Lambie, and M. Snyder

1319 **The *NUF1* gene encodes an essential coiled-coil related protein that is a potential component of the yeast nucleoskeleton.**
C. Mirzayan, C. S. Copeland, and M. Snyder

1333 **Interferon action: nucleolar and nucleoplasmic localization of the interferon-inducible 72-kilodalton protein that is encoded by the Ifi 204 gene from the gene 200 cluster.**
D. Choubey and P. Lengyel

1343 **Evidence for the regulation of exocytic transport by protein phosphorylation.**
H. W. Davidson, C. H. McGowan, and W. E. Balch

1357 **Retrograde transport from the Golgi region to the endoplasmic reticulum is sensitive to GTPγS.**
A. Tan, J. Bolscher, C. Feltkamp, and H. Ploegh

1369 **Analysis of the actin-binding domain of α-actinin by mutagenesis and demonstration that dystrophin contains a functionally homologous domain.**
L. Hemmings, P. A. Kuhlman, and D. R. Critchley

1381 **An interaction between zyxin and α-actinin.**
A. W. Crawford, J. W. Michelsen, and M. C. Beckerle

1395 **Primary structure of NuMA, an intranuclear protein that defines a novel pathway for segregation of proteins at mitosis.**
D. A. Compton, I. Szilak, and D. W. Cleveland

1409 **Microinjection of biotin-tubulin into anaphase cells induces transient elongation of kinetochore microtubules and reversal of chromosome-to-pole motion.**
E. Shelden and P. Wadsworth

1421 **Protein phosphatase type 1 in mammalian cell mitosis: chromosomal localization and involvement in mitotic exit.**
A. Fernandez, D. L. Brautigan, and N. J. C. Lamb

1431 **Regulation of the microtubule nucleating activity of centrosomes in xenopus egg extracts: role of cyclin A-associated protein kinase.**
B. Buendia, G. Draetta and E. Karsenti

1443 **High-frequency vibration in flagellar axonemes with amplitudes reflecting the size of tubulin.**
S. Kamimura and R. Kamiya

1455 **GAP-43 is expressed by nonmyelin-forming Schwann cells of the peripheral nervous system.**
R. Curtis, H. J. S. Stewart, S. M. Hall, G. P. Wilkin, R. Mirsky and K. R. Jessen

1465 **The activity of cAMP-dependent protein kinase is required at a posttranslational level for induction of voltage-dependent sodium channels by peptide growth factors in PC12 cells.**
D. D. Ginty, G. R. Fanger, J. A. Wagner, and R. A. Maue

1475 **Tenascin promotes cerebellar granule cell migration and neurite outgrowth by different domains in the fibronectin type III repeats.**
K. Husmann, A. Faissner, and M. Schachner

1487 **Intercellular space is affected by the polysialic acid content of NCAM.**
P. Yang, X. Yin, and U. Rutishauser

1497 **Identification of a new hemidesmosomal protein, HD1: a major, high molecular mass component of isolated hemidesmosomes.**
Y. Hieda, Y. Nishizawa, J. Uematsu, and K. Owaribe

1507 **Temporal changes in the expression and distribution of adhesion molecules during liver development and regeneration.**
S. C. Stamatoglou, C. Enrich, M. M. Manson, and R. C. Hughes

1517 **The *Min* (multiple intestinal neoplasia) mutation: its effect on gut epithelial cell differentiation and interaction with a modifier system.**
A. R. Moser, W. F. Dove, K. A. Roth, and J. I. Gordon

1527 **Interaction of leukocyte integrins with ligand is necessary but not sufficient for function.**
I. Dransfield, C. Cabañas, J. Barrett, and N. Hogg

1537 **AUTHOR INDEX FOR VOLUME 116**

1545 **SUBJECT INDEX FOR VOLUME 116**